



Fiber Optic

Connectivity & Accessories



Patch Cord

- Optical Fiber Compliant with ITU-T-G.657.A1/A2 Standard
- Available in Two Diameters of 2 and 3 Millimeters
- In LS-, SC, and FC Connector Types
- With PVC or LSZH Outer Jacket
- Suitable Bending Radius
- Customizable Cable Length
- Customizable Connector Type on Both Terminal ends of the Cable



Distribution Patch Cord

Optical fiber Compliant with ITU-T G.657.A1/A2 Standard

Available in LC, SC, and FC Connector Types

With 8 and 4 Connectors on each end of the Cable

With PVC or LSZH Outer Jacket

Suitable Bending Radius

Customizable

Customizable Connector Type and Quantity on both Terminal ends of the Cable



Splitter:

Optical Fiber Compliant with ITU-T
G.657.A1/A2 Standard
Low Insertion Loss
High Reliability
High Channel Count
Wide Wavelength Range
Wide Operating Temperature Range
Customizable Channel Count, Fiber
Type, Input/Output Fiber Length,
Input/Output Connector Type,
Input/Output Cable Type
Available in three Types: Rackmount,
Compact, and General, in both
Outdoor and Indoor Versions



Pigtails:

Optical Fiber Compliant with
ITU-T G.657.A1/A2 Standard

Available in LC-LSZH
and FC Connector Types

With PVC or LSZH Outer Jacket

Low Insertion loss in the
Connector and Optical Fiber

Suitable Bending Radius

Customizable Cable Length

Patch Cord

Technical Catalogue



License Number: 87712643



+971 50 372 2541



Info@paotech.co



www.paotech.co



Plot S60805, Gate12, Jebel Ali
Free Zone (South), Dubai, UAE

PA 
PAOTECH FZCO